




高电科技
HIGH VOLTAGE TECHNOLOGY



杭州高电科技股份有限公司

DS3000

P

有源功率分析仪

使用说明书

杭州高电科技股份有限公司

CHANGHAI HIGH VOLTAGE TECHNOLOGY CO., LTD.

电话: 0571-89935600 传真: 0571-89935601

:

:

:

1

DL/T846 8-2004

ARM

6

A/D


2

A B C

3

』

.....	3
.....	3
Y	4
Y	4
.....	4
.....	5
.....	5
.....	6
.....	6
.....	7
.....	7




- 1
- 2 AC220V
- 3 IA+ IB+ IC+ IO-
- 4 VA+ VB+ VC+ VO-
- 5 800 × 600
- 6
- 7 USB U

变压器高压侧



- 1
- 2
- 3
- 4


Y



A B C 0 “ ”

“ A.B.C -> 0 ”

Y



“ ” “ A.B -> C ”

B C A B
A B
A B

A B C A B C



B C A B

2

3

4

“ A ” “ B ” “ C ” “ t1 ” “ t2 ” “ t3 ” “ t4 ”

“ ”

1 0.5A 1.0A 1.0A
2 10KHZ
3 268
4 1.0A 0.1-20Ω 0.5A 0.1-40Ω
: 0.1-200Ω
5 0.1-200Ω, 0.01Ω, 0.1-1Ω
0.1Ω; 1Ω-40Ω (1Ω)
1.0% ± 2
6 : 0.1ms~268ms 0.1ms
0.1ms-100ms 1ms; 100ms-268ms (100ms)
1%
7 800*600
8 32 100
9 12 6 A/D 250KHZ
10 220V ± 10% 200W
11 365mm × 235mm × 325mm
12 10kg

1
2 -5 40 ≤ 80%

3

4 24V

5

6

7

1)

2)

1)

2)